




# SERIES CT-207

Conical Tip Tab Tool, Groove in Wire Direction and Cross Groove


Accelonix BV  
Luchthavenweg 18b • NL-5657 EB •  
Eindhoven • The Netherlands •  
T: +31 40 750 1650 • E: info@accelonix.nl

## STANDARD ROUND



MTA = MAIN TAPER ANGLE

Special dimensions available upon request.  
Dimensions not shown please specify.  
We recommend ceramic material for all gold wire bonding for optimum results.



For Standard Round specify TD only  
For Optional Flat specify TD and TDF

	TD		TDF	
	in.	mm	in.	mm
1/16	.0624	1.59	.0460	1.17
	.0784	1.99	.0630	1.60
3/32	.0937	2.38	.0880	2.24
	.1180	3.00	.0985	2.50
1/8	.1249	3.17	.0937	2.38
1/8	.1249	3.17	.1180	3.00

**SAMPLE PART NUMBER: M-CT-207-1/16-1-.001-M-C-.0010-\***

**SYMBOL EXPLANATION:**

1. **MATERIAL:**  
M = Ceramic  
C = Tungsten Carbide  
T = Titanium  
All other: See Material Selection Guide

2. **SERIES:** CT

3. **STYLE:** 207

4. **TOOL DIAMETER:** Please specify

5. **TOOL LENGTH:** Please specify

10. **Tool Option:**  
Please specify MTA (Tool-Angle)  
A15 or see **Tool Options**

9. **WIRE:**  
Please specify Wire Ø  
GR/CGR=60% of wire Ø.  
GD/CGD=35% of wire Ø.

8. **RADIUS:** See Option Chart below.

7. **FOOT FINISH:**  
M = Matte  
P = Polished Radius

6. **BOND DIAMETER:** Please specify  
(Includes 2/3 R)

RADIUS OPTION CHART	OPTION LETTER		A	C	F	J
	RADIUS					
	in.		.0005	.0010	.0015	.0020
	µ		13	25	38	51